Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	147422	((interface or dialog or gui or menu or window or display) near5 (protocol or method or snmp or (ip adj ping) or pppoe or dhcp))	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:02
L2	33910	((interface or dialog or gui or menu or window or display) near (protocol or method or snmp or (ip adj ping) or pppoe or dhcp))	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:19
L3	84689	((select$3 or specify$3 or highlight$3 or chos$3) near (protocol or method or snmp or (ip adj ping) or pppoe or dhcp))	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:10
L4	8480	3 same (user or administrator or manager)	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:05
L5	1214	4 same (status or discover$3 or manag$5 or topology)	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:06
L6	439	5 same (interface or window or display or gui or menu)	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:07
L7	13	(5 same (interface or window or display or gui or menu)).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:07
L8	3814	((select$3 or specify$3 or highlight$3 or chos$3) near (protocol or method or snmp or (ip adj ping) or pppoe or dhcp)).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:11
L9	91	8 and ((status or discover$3 or manag$3 or topology) adj2 network)	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:11
L10	49	9 and (interface and gui or menu or window or display)	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:12
L11	266957	((interface or dialog or gui or menu or window or display) with (protocol or method or snmp or (ip adj ping) or pppoe or dhcp))	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:19
L12	31005	((interface or dialog or gui or menu or window or display) with (protocol or method or snmp or (ip adj ping) or pppoe or dhcp)).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/20 17:19
L13	16874	((interface or dialog or gui or menu or window or display) with (protocol or method or snmp or (ip adj ping) or pppoe or dhcp)).ab.	USPAT	OR	OFF	2006/01/20 17:19
L14	24550	((interface or dialog or gui or menu or window or display) with (protocol or method or snmp or (ip adj ping) or pppoe or dhcp)) same (user or administrator or manager)	USPAT	OR	OFF	2006/01/20 17:20

L15	21	14 same ((discover or status or topology) adj network)	USPAT	OR	OFF	2006/01/20 17:42
L16	6	("5276789" \| "5295244" \| "5559955" \| "5768552" \| "5948058" \| "6108702").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/20 17:26
L17	1	"6708207".pn.	USPAT	OR	OFF	2006/01/20 17:43
L18	1	"5983270".pn.	USPAT	OR	OFF	2006/01/20 17:43
S1	0	newtwork adj topology	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:21
S2	6709	network adj topology	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:21
S3	25	(network adj topology) same discover$3 adj method$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:29
S4	4	("5182750" \| "5430729" \| "5450408" \| "5608659").PN.	USPAT	OR	OFF	2004/10/30 14:27
S5	25	discovery adj command$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:37
S6	8	("5226120" \| "5261044" \| "5299207" \| "5471399" \| "5483631" \| "5485455" \| "5535335" \| "5590120").PN.	USPAT	OR	OFF	2004/10/30 14:32
S7	1738	poll$3 near device$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:38
S8	198	(discover$3 and monitor$3) near device$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:39
S9	58	((discover$3 and monitor$3) near device$1) and menu	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:39
S10	20	(poll$3 near device$1) and (((discover$3 and monitor$3) near device$1) and menu)	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:44
S11	0	different adj discovery adj method41	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:45
S12	0	different near2 discovery adj method41	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:10
S13	0	different same discovery adj method41	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:45
S14	424	topology adj map$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:45
S15	2	((topology adj map$1) same gui) and discovery adj method$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:46
S16	0	((topology adj map$1) same gui) same discovery adj method$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:46
S17	34	(topology adj map$1) same gui	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:48
S18	1	"5737319".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:49

S19	1	"5485578".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:50
S20	4	("4825206" \| "5165019" \| "5165024" \| "5323394").PN.	USPAT	OR	OFF	2004/10/30 14:50
S21	281	topology adj discovery	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:50
S22	138	(topology adj discovery) and snmp	US-PGPUB; USPAT	OR	OFF	2004/10/30 14:50
S23	38	(topology adj discovery) and snmp	USPAT	OR	OFF	2004/10/30 14:50
S24	5	("6272150" \| "6400863" \| "6452925" \| "6484317" \| "6570880").PN.	USPAT	OR	OFF	2004/10/30 14:51
S25	11	(different or alternative) near5 (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:12
S26	3	(different or alternative or unlike) near (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:16
S27	1	"6664978".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:18
S28	0	"6664978".pn. and discovery adj method$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:18
S29	1	"6664978".pn. and discovery	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:30
S30	35	discovery adj event$1	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:31
S31	15	(discovery adj event$1) and topology	US-PGPUB; USPAT	OR	OFF	2004/10/30 15:38
S32	11	network adj discovery adj technique$1	US-PGPUB; USPAT	OR	OFF	2004/10/31 11:05
S33	2858	709/223,224,225,226,227,228.ccls. and (monitor$3 or manag$3 or discover$3) near2 (device$1 or object$1)	US-PGPUB; USPAT	OR	OFF	2004/10/31 11:07
S34	39	709/223,224,225,226,227,228.ccls. and (monitor$3 or manag$3 or discover$3) near2 (device$1 or object$1) and (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2004/10/31 11:08
S35	17	709/223,224,225,226,227,228.ccls. and (monitor$3 or manag$3 or discover$3) near2 (device$1 or object$1) and (discovery adj method$1) and SNMP	US-PGPUB; USPAT	OR	OFF	2004/10/31 11:08
S36	32780	order$3 near "5" (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:34
S37	17	order$3 near5 (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:37

S38	3375	poll$3 near2 (device$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:38
S39	0	S38 same (gather$3 adj order)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:38
S40	168	(gather$3 adj order)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:38
S41	1	(gather$3 adj order) near (device$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:39
S42	748	(defin$3 or stat$3) near2 order near2 device$1	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:39
S43	0	S42 same gui	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:39
S44	13	S42 and gui	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:50
S45	1029661	alternative or different same (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:50
S46	136	(alternative or different) same (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:54
S47	17	S46 and snmp	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:51
S48	1	list$3 near (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:57
S49	10	snmp and ping and DHCP and PPPoe	US-PGPUB; USPAT	OR	OFF	2005/04/27 18:59
S50	140	discovery adj method$1 same device$1	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:09
S51	39	S50 and topology	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:00
S52	0	discovery adj method$1 adj menu	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:09
S53	1	discovery adj method$1 same menu	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:12
S54	1841	discovery adj (method$1 or command$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:13
S55	101	S54 same order	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:49
S56	0	S55 same user adj (defined or specified)	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:14
S57	702	"29" same gui	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:14
S58	0	S55 same gui	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:14
S59	8957	menu with (discovery adj method$1 or command$1)	US-PGPUB; USPAT	OR	OFF	2005/04/27 19:50
S60	5380	menu with (discovery adj method$1 or command$1)	USPAT	OR	OFF	2005/04/27 19:51

S61	206	S60 and topology	USPAT	OR	OFF	2005/04/27 19:50
S62	0	menu with (discovery adj (method$1 or command$1))	USPAT	OR	OFF	2005/04/27 19:52
S63	0	menu near2 (discovery adj (method$1 or command$1))	USPAT	OR	OFF	2005/04/27 19:52
S64	0	(menu or gui or (user adj interface)) near2 (discovery adj (method$1 or command$1))	USPAT	OR	OFF	2005/04/27 19:52
S65	5	(menu or gui or (user adj interface)) same (discovery adj (method$1 or command$1))	USPAT	OR	OFF	2005/04/28 08:54
S66	0	order$3 adj list adj (discovery adj (method$1 or command$1))	USPAT	OR	OFF	2005/04/28 09:17
S67	234	(network and (topology$ or map) and discover$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 09:20
S68	36	(network and (topology$ or map) and discover$).ab.	USPAT	OR	OFF	2005/04/28 09:46
S69	20	(network same topology same (discover$ adj method))	USPAT	OR	OFF	2005/04/28 09:46
S70	22	(network same topology same (discover$ adj method))	USPAT	OR	ON	2005/04/28 09:48
S71	0	709/224,223;715/700.ccls. and (network same toplogy same (discover$ adj method$))	USPAT	OR	ON	2005/04/28 09:49
S72	0	709/224,223.ccls. and (network same toplogy same (discover$ adj method$))	USPAT	OR	ON	2005/04/28 09:50
S73	8	709/224,223.ccls. and (network same topology same (discover$ adj method$))	USPAT	OR	ON	2005/04/28 09:50
S74	1	(first and second) adj discovery adj method	US-PGPUB; USPAT	OR	OFF	2005/10/07 08:43
S75	2	(first or second) adj discovery adj method	US-PGPUB; USPAT	OR	OFF	2005/10/07 08:44
S76	1961	discovery adj method$1	US-PGPUB; USPAT	OR	OFF	2005/10/07 08:48
S77	103	S76 same order	US-PGPUB; USPAT	OR	OFF	2005/10/07 08:47
S78	2530	discovery adj (method$1 or program$1)	US-PGPUB; USPAT	OR	OFF	2005/10/07 08:49
S79	202	S78 same device$1	US-PGPUB; USPAT	OR	OFF	2005/10/07 09:02

S80	1	"6377961".pn.	US-PGPUB; USPAT	OR	OFF	2005/10/07 09:02
S81	15	order$3 near2 (discovery adj (method$1 or protocol$1 or routine$1))	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:52
S82	1	((determin$3 or establish$3) near2 order$3 near2 (discovery adj (method$1 or protocol$1 or routine$1)))	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:53
S83	101852	menu or (graphical adj user adj interface)	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:54
S84	9	S81 same (discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:54
S85	2044	(discovery adj method$1)	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:55
S86	89	(discovery adj method$1).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:55
S87	15	(discovery adj method$1).ab. and topology	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:58
S88	864	discovery adj methods	US-PGPUB; USPAT	OR	OFF	2006/01/10 07:59
S89	14	S88 same list	US-PGPUB; USPAT	OR	OFF	2006/01/10 08:02
S90	16	discover adj list	US-PGPUB; USPAT	OR	OFF	2006/01/10 08:25
S91	54	((sequenc$3 or order$3 or list$3 or arrang$3 or array$3 or distribut$3) near3 (discovery adj method$1))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:06
S92	1	"5832503".pn.	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:04
S93	4	("5832503" "6041347" "5872928" "5557748").pn.	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:05
S94	195	((sequenc$3 or order$3 or list$3 or arrang$3 or array$3 or distribut$3) near3 (discovery adj (method$1 or operation$1 or process$2)))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:07
S95	4	((sequenc$3 or order$3 or list$3 or arrang$3 or array$3 or distribut$3) near3 (discovery adj (method$1 or operation$1 or process$2))).ab.	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:08
S96	5529	ordered adj list	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:08
S97	2	S96 same (discovery adj (method$1 or process$2 or operation$1))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:14
S98	28	defin$3 near3 (discovery adj (list or process or operation or method))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:21

S99	161	discovery adj algorithm	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:21
S100	14	S99 same order	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:30
S101	28006	establish near2 order	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:31
S102	0	S101 same (discover adj (program$1 or operation$1 or process$2 or method$1))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:33
S103	11	S101 and (discover adj (program$1 or operation$1 or process$2 or method$1))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:34
S104	20	discover adj command$1	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:48
S105	163	(order near3 (data adj gather$3))	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:49
S106	2	S105 same discovery	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:50
S107	144	data adj gather$3 adj technique$1	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:50
S108	1	S107 same discovery	US-PGPUB; USPAT	OR	OFF	2006/01/10 13:00
S109	1	(SNMP same (ip adj ping) same PPPoe same DHCP)	US-PGPUB; USPAT	OR	OFF	2006/01/10 13:01
S110	3	(SNMP and (ip adj ping) and PPPoe and DHCP)	US-PGPUB; USPAT	OR	OFF	2006/01/10 13:15
S111	39	(SNMP and (ip adj ping))	US-PGPUB; USPAT	OR	OFF	2006/01/10 13:15

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: l4 same L5

Display: 10 **Documents in Display Format:** TI **Starting with Number** 1

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

Search Clear Interrupt

Search History

DATE: Friday, January 20, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
L6	l4 same L5	12	L6
L5	(status or discover$5 or manag$5 or topology) near2 network	21811	L5
L4	l1 same L3	974	L4
L3	L2 near4 (user or administrator or manager)	9261	L3
L2	(select$5 or specif$6 or highlight$4 or chos$5) near5 (protocol or method or snmp or (ip adj ping) or pppoe or dhcp)	415796	L2
L1	(interface or dialog or gui or menu or button or icon) near5 (protocol or method or snmp or (ip adj ping) or pppoe or dhcp)	42069	L1

END OF SEARCH HISTORY

or window or display14